



CROPCREST

INDIA PRIVATE LIMITED

PRODUCT CATALOGUE

Cropcrest Ki Pehchan
Khushal Kisan.....

 Cropcrest India  Cropcrest India

AN ISO 9001 : 2015 CERTIFIED COMPANY



CROPCREST
INDIA PRIVATE LIMITED

Cropcrest Ki Pehchan Khushal Kisan...





About us:

Welcome to Crop Crest, where our passion for agriculture drives us to make a positive impact on Indian farming. At Crop Crest, we believe in a future where sustainable practices lead to thriving crops, healthy environments, and prosperous farming communities.

Our Commitment:

Crop Crest is committed to revolutionizing Indian agriculture by offering innovative and sustainable solutions. We are committed towards our slogan "Cropcrest Ki Pehchan Khushal Kisan", We offer diversified range of Insecticides, Fungicides, Herbicides, Bio-Pesticides, Bio-Fertilizers, Plant Growth Regulators and Micro Nutrients.

- **Maximizing Crop Productivity:** We strive to enhance crop yields through the development and distribution of cutting-edge pesticides and fertilizers.
- **Empowering Farmers:** Our mission is to empower farmers by providing them with the tools, knowledge, and resources needed for success in a dynamic agricultural landscape.
- **Environmental Responsibility:** We are deeply committed to promoting eco-friendly practices that safeguard the environment and contribute to a healthier planet.
- **Fostering Innovation:** Crop Crest is at the forefront of agricultural innovation, consistently introducing new and efficient solutions to meet the evolving needs of farmers.
- **Contributing to Community Development:** We actively participate in initiatives that uplift farming communities, supporting education, healthcare, and overall well-being.

Join Us on this Journey:

At Crop Crest, we invite you to join us on this journey towards sustainable and successful agriculture in India. Together, we can cultivate a brighter future for farmers, the environment, and the entire nation.

When you choose Crop Crest, you choose a partner dedicated to your success in agriculture. Join us on this journey of growth, innovation, and sustainable farming practices.



Mission

At Crop Crest, our mission is to enhance Indian agriculture by providing innovative and sustainable pesticides and fertilizers. We are committed to maximizing crop productivity, empowering farmers, promoting environmental responsibility, fostering innovation, and contributing to community development.

Vision

Vision: At Crop Crest, we envision a future where agriculture is sustainable and thriving, fostering a nation with abundant harvests, balanced ecosystems, and prosperous farming communities. Our unwavering dedication is to pioneer innovative solutions, leading the way in empowering Indian farmers and contributing to a resilient and thriving agricultural environment throughout the country.

Brand Name	Technical Name
INSECTICIDE	
Prahar 20	Chlorpyrifos 20% EC
Prahar 50	Chlorpyrifos 50% EC
Prahar 50S	Chlorpyrifos 50% + Cypermethrin 5% EC
Ruler	Quinalphos 25% EC
Simbha	Lambdacyhalothrin 5% EC
Simbha Plus	Lambdacyhalothrin 4.9% CS
Ciper-10	Cypermethrin 10% EC
Ciper-25	Cypermethrin 25% EC
Nector Plus	Alphacypermethrin 10% EC
Crop Imida	Imidacloprid 17.8% SL
Crop Imida Gold	Imidacloprid 70 % WG
Crop Imida Super	Imidacloprid 30.5 % SL
Current	Emamectin Benzoate 5% SG
Current Plus	Emamectin Benzoate 1.9% EC
Vinash Super	Bifenthrin 10% EC
C-Tara	Thiamethoxam 25% WG
C-Tara FS	Thiamethoxam 30% FS
Flier	Thiamethoxam 12.6%+ Lambda-Cyhalothrin 9.5% ZC
Zorawar	Profenophos 50% EC
Zorawar Super	Profenophos 40%+ Cypermethrin 4% EC
Shogi	Pymetrozine 50% WG
Cegent	Fipronil 0.3% GR
Cegent SC	Fipronil 5% SC
Crop Guard	Fipronil 40%+Imidacloprid 40% WG
Crop Mono	Monocrotophos 36% SL
Cropgen	Chlorantraniliprole 18.5% SC
Crophion	Ethion 50% EC
Crop Carbo	Carbofuran 3% CG
Cropgor	Dimethoate 30% EC
Crop Pride	Acetamiprid 20% SP

Brand Name	Technical Name
Feratta	Chlorantraniliprole 0.4% GR
Croptaf	Acephate 75% SP
Prahar 10 G	Chlorpyrifos 10% GR
Cropdan 4G	Cartap Hydrochloride 4% GR
Cropdan 50 SP	Cartap Hydrochloride 50% SP
HERBICIDE	
Weed Stop	Imazethapyr 10% SL
Cropfit	Pretilachlor 50% EC
Cropfit Plus	Pretilachlor 37% EW
Wipe Power	Glufosinate Ammonium 13.5% SL
Crop Pendi	Pendimethalin 30% EC
Crop Pendi Plus	Pendimethalin 38.7% CS
Cropmix Super	Butachlor 50% EW
Cropmix	Butachlor 50% EC
Crop Quat	Paraquat Dichloride 24% SL
Crop Gold	Bispyribac Sodium 10% SC
Weed Clean 58	2,4-D Amine Salt 58% SL
Oxy-Zen	Oxyflourfen 23.5% EC
Attraclear	Atrazine 50% WP
Vadh	Pyrazosulfuron Ethyl 10% WP
Metri Plus	Metribuzin 70% WP
FUNGICIDE	
Azocy	Azoxystrobin 23% SC
Azocydifo	Azoxystrobin 18.2%+ Difenoconazole 11.4% SC
Azocyteb Plus	Azoxystrobin 11%+ Tebuconazole 18.3% SC
Cropcure	Tebuconazole 25.9% EC
Croptaf	Hexaconazole 5% SC
Peru	Tebuconazole 10%+ Sulphur 65% WG
Propicone	Propiconazole 25% EC

Brand Name	Technical Name
Riico	Thiophanate Methyl 70% WP
Cropvalda	Validamycin 3% L
Crop M-45	Mancozeb 75% WP
Cropsaff	Carbendazim 12%+ Mancozeb 63% WP
Cropstin	Carbendazim 50%WP
C-Sulph 80 WDG	Sulphur 80% WDG
Cropgol	Propineb 70% WP
PGR	
Crop Power	Triacantanol EC 0.05% Min
Crop- Dr.	Gibberellic Acid 0.001% L



Prahar 20

Chlorpyrifos 20% EC

It is recommended to control hispa, leaf roller, gall midge, stem borer of paddy, aphid, boll worms, whitefly & cut worm of cotton and insects of vegetables, fruits and to control termite in building, wood and seed treatment & soil treatment.



Prahar 50

Chlorpyrifos 50% EC

It is recommended to control termites in buildings, during construction and in existing buildings, bollworm in cotton.



Prahar 505

Chlorpyrifos 50% + Cypermethrin 5% EC

It is recommended to control Aphid, Jassid, Thrips, Whitefly, American bollworm, Spotted bollworm, Pink bollworm, Spodoptera litura of cotton and stem borer and leaf folder of paddy.



Ruler

Quinalphos 25% EC

It is recommended to control brown plant hopper, hispa /blue beetle, leaf roller, stem borer of paddy, insects of red gram, chilli, cardamom, tea, Bengal gram, Ground Nut, Mustard, Citrus, Cauliflower and soybean crops.



Simbha


Lambdacyhalothrin 5% EC

Lambdacyhalothrin 5% EC is a contact and systemic insecticide which is effective for the control of different insects of Cotton, Rice, Brinjal, Tomato, Mango, Okra, Red gram, Chilli, Ground nut, Onion and Chickpea.

Simbha Plus

Lambda-cyhalothrin 4.9% CS

It is recommended for the control of bollworms in cotton, stem borer & Leaf folder in Paddy, shoot & Fruit borer in Bringal, fruit borer in Okra & Tamoto, Thrips Flea beetle in Grapes Thrips & Pod borer in chili and stemfly & semiloopr in soybean crops and Thrips and fruit borer on Pommegranate Crop.





Ciper-10

Cypermethrin 10% EC

It is recommended to control diamond back moth, Fruit borer, Shoot borer, Shootfly and Bihar hairy caterpillar in Cabbage, Okra, Brinjal, Wheat and Sunflower bollworms in Cotton crops.



Ciper-25

Cypermethrin 25% EC

It is recommended to control shoot & fruit borer, jassids of Bhindi, Shoot & Fruit borer, Jassids, Epilachna grub of Brinjal and Bollowovnes, Jassids, Thrips of cotton.



Nector Plus


Alphacypermethrin 10% EC

It is recommended for control of cotton bollworms.

Crop Imida

Imidacloprid 17.8% SL

It is a systemic insecticide used as a foliar spray for the control of aphid, Whitefly, Jassid, Thrips of Cotton, BPH, WBPH, GLH of rice and white fly of tomato, Termite of Sugarcane, hopper of Mango, jassid, thrips, white fly of sunflower, aphid, jassid, thrips of Okra, leaf minor, psylla of Citrus, aphid, jassid of Groundnut, flea beetle in Grapes and jassid, aphid, thrips of Chilli Crop..



Crop Imida Gold

Imidacloprid 70 % WG


Imidacloprid 70 % WG is recommended for the control of sucking pests Viz Jassids, Aphids & Thrips in cotton and Brown Plant hoppers & White backed Plant hoppers in rice, Aphid, Jassid, Thrips in Okra and aphid and jassid in cucumber crops.



Crop Imida Super

Imidacloprid 30.5 % SL

Imidacloprid 30.5% SC shall be applied for the control of termites in buildings during pre and post construction and for the control of Jassids, Aphids & Thrips in cotton and brown plant hopper and white Backed Plant hopper in rice.





Current

Emamectin Benzoate 5% SG

Emamectin benzoate is recommended for the control of bollworms on cotton, fruit and shoot borer on okra, Diamond back moth on cabbage, fruit borer, thrips and mites on chilli, fruit and shoot borer on brinjal, pod borer on redgram chickpea, Thrips on Grapes and Tea looper on Tea.



Current Plus

Emamectin Benzoate 1.9% EC

It is recommended to control bollworms in cotton crop.

Vinash Super

Bifenthrin 10% EC

It is used for the control of Bollworm and white fly on cotton crop, stem borer, leaf folder and green leaf hopper in rice and termite in Sugarcane.





C-Tara

Thiamethoxam 25% WG

Thiamethoxam 25 % WG is broad spectrum systemic insecticide having quick stomach and contact action and is recommended for its use to control Stem Borer, Gall Midge, Leaf Folder, Brown plant hopper, White Backed Plant Hopper (WBPH), Green Leaf Hopper (GLH), Thrips on Rice; jassids, aphids and whiteflies in cotton; hoppers in mango; aphids in Wheat; aphids in Mustard; Whiteflies in Tomato; Whiteflies, Jassids in Brinjal; mosquito bug in Tea & aphids in Potato, Psylla in citrus, Aphid in Cumin and GLH thrips, shorl maggat in Rice (Nursary), white flies in Tomato (soil drenching).



C-Tara FS

Thiamethoxam 30% FS

Recommended as seed treatment to control Jassids, aphids and Whitefly in cotton, shoot fly on sorghum and Maize, termites in wheat, jassid in okra, Thrips, GLH and Whorl Maggot in rice, jassid and thrips in sunflower, stem fly in soybean and thrips in chilli crop.



Flier

Thiamethoxam 12.6%+
Lambda-Cyhalothrin 9.5% ZC

Is a combination insecticide having quick stomach and contact activity and is recommended to control Aphids, jassids, Thrips & Bollworms in Cotton, Aphid, shootfly, steam borer in Maize, Leaf hopper, leaf eating caterpillars in Groundnut, Stem fly, semilooper, girdle beetle in Soyaben, Thrips & fruit borer in Chilli, Thrips, semilooper, tea mosquito bug in Tea, Thrips, whiteflies, fruit borer in Tomato crop.





Zorawar

Profenophos 50% EC

It is used to control bollworms, Jassids, Aphids, Thrips & White flies of cotton and semilooper (*Chrysodeixis acuta*), girdle beetle (*Obereopsis brevis*) on soybean.



Zorawar Super

Profenofos 40%+ Cypermethrin 4% EC

It is a combination product of organophosphorus and pyrethroid compound. It is used to control bollworm of cotton.

Shogi

Pymetrozine 50% WG

Pymetrozine 50% wg is a systematic insecticides and recommended for the control of brown plant hopper in rice crop. Foliar pest not directly hit by the spray are also controlled by Pymetrozine 50% WG pest stop feeding and die gradually after coming in contact with its spray.





Cegent

Fipronil 0.3% GR

Fipronil 0.3% GR is recommended for the control of Stem borer, Brown plant hopper, Green leafhopper, Rice leaf folder, Gall midge, White backed plant hopper, whorl maggot of Rice Early shoot borer, and Root borer of sugarcane and termites of wheat.



Cegent SC

Fipronil 5% SC

Is used to control insects like stem borer, brown plant hopper, Green leaf hopper, rice leaf folder, rice gall midge, white backed plant hopper and whorl maggot etc. on Rice, Diamond back moth in cabbage and Thrips, Aphid, Fruit borer on Chilli, Early Root & shoot borer of sugarcane and Aphids, Jassids, Thrips, White fly & Boll worm on cotton crop.

Crop Guard

Fipronil 40%+Imidacloprid 40% WG

Fipronil 40% + Imidacloprid 40% WG is recommended for control of white grubs in sugarcane.





Crop Mono

Monocrotophos 36% SL

It is recommended to control different insect pests of Paddy, Maize, Cotton and Pea.



Cropgen

Chlorantraniliprole 18.5% SC

Chlorantraniliprole 18.5% w/w sc is a broad spectrum insecticides used for the control of insect pests of rice, cabbage, cotton, sugarcane, tomato, chilli, soybean, brinjal, pigeon pea, bengal gram, black gram, bittergourd, okra, Maize and Groundnut crops.

Cropcrest Ki Pehchan Khushal Kisan...

Croption

Ethion 50% EC

It is recommended to control thrips, pink mite, purple mite, scarlet mite, red spider mite, aphid, caterpillar & helioperlets of tea, white fly and bollworms in cotton, mites and thrips in chilli, pod borer in gram and pigeon pea, girdle beetle and stem fly in soybean crops and termites control in buildings.



Crop Carbo

Carbofuran 3% CG

It is recommended to control shoot fly of Bajra, brown plant hopper, gall midge, green leaf hopper, hispa, stem borer & nematode of paddy, pod borer and white grub of groundnut; and top borer of sugarcane and insects of other crops



Cropgor


Dimethoate 30% EC

It is recommended to control insects of vegetable fruit trees & miscellaneous crops

Crop Pride

Acetamiprid 20% SP

Acetamiprid 20% SP is a soluble powder formulation containing 20% of the active ingredient Acetamiprid. Acetamiprid 20% SP is a highly effective systemic insecticide for the control of aphids jassids and white flies in cotton crop; Aphid in Cabbage; Aphid in Okra.





Feratta

Chlorantraniliprole 0.4% GR

It is recommended to control stem borer and leaf folder of rice, early shoot and top borer of sugarcane crop.



Croptaf

Acephate 75% SP

It is recommended to control jassid and bollworms of cotton, aphid of safflower. Stem borer, Leaf folder, plant hopper and green leaf hopper of Rice.

Prahar 10 G

Chlorpyrifos 10% GR

It is use to control stem Borer, Leaf roller, Gall midge of rice.



Cropdan 4G

Cartap Hydrochloride 4% GR

It is recommended to control stem borer, leaf folder and whorl maggot of rice crop



Cropdan 50 SP

Cartap Hydrochloride 50% SP

It is recommended to control stem borer and leaf folder on rice crop.



Rice leaf caterpillar



Rice leaf roller



Xylotrechus



Apolygus lucorum



Lycorma delicatula



Prodenia litura



Paddy stem maggot




Cicadellidae



Weed Stop

Imazethapyr 10% SL

It is recommended for use in Soybean and Groundnut for control of annual grasses and broad leaf weeds.



Cropfit

Pretilachlor 50% EC

pretilachlor 50% EC herbicide is recommended for its use to control grasses, sedges & broad leaved weeds like *echinocloa* spp., *cyperus iria*, *cyperus difformis*, *fimbristylis miliaceae*, *eclipta alba*, *ludwigia parviflora*, *monochoria vaginalis*, *laptochloa chinensis* and *pannicum repens* in transplanted rice.

Cropfit Plus

Pretilachlor 37% EW

It is a selective pre-emergence herbicide that is recommended for the control of grasses, sedges and some broad leaf weeds in transplanted rice. It contains 37% of the active ingredient pretilachlor which is equal to 400 g per litre of the formulation.



Wipe Power

Glufosinate Ammonium 13.5% SL

It (solution liquid) is a non selective, post-emergence herbicide recommended for control of annual and perennial weeds infesting tea gardens and Echinochloa sp. Cynodon dactylon Cyperus rotundus Digitaria marginata Dactyloctenium aegyptium in cotton. It contains 15% weight / volume Glufosinate ammonium(a.i) which is equal to 13.5 % on weight/weight basis.



Crop Pendi

Pendimethalin 30% EC

It is recommended to control weeds in Wheat, Rice (transplanted & Direct Sown upland), Cotton, Soybean, Chilli and Onion crops.

Crop Pendi Plus

Pendimethalin 38.7% CS

Pendimethalin 38.7% CS is selective herbicide for use in soybean, Cotton, Chilli and Onion crop which controls susceptible annual grasses and broad leaf weeds as they germinate. Pendimethalin 38.7% CS does not control perennial or well established weeds.





Cropmix Super

Butachlor 50% EW

Approved for controlling annual grasses, sedges and broad leaf weeds in transplanted Rice. Apply as a blanket spray within four days after transplantation.



Cropmix

Butachlor 50% EC

It is used to control *Cyperus difformis*, *Cyperus iria*, *Echinochloa crusgalli*, *Echinochloa colonum*, *Eleusine indica*, *Eclipta alba*, *Fimbristylis miliaceae*, *Ludwigia parviflora*, *Sphenocloa zeylanica* of transplanted rice.

Crop Quat

Paraquat Dichloride 24% SL

It is used to control *Imperata cylindrica*, *Setaria sp.*, *Commelina benghalensis*, *Boerhavia hispida paspa-lum conjugatum* of tea and weeds of Potato, Cotton, Rubber, Rice, Wheat, Grapes & Aquatic Weeds.






Weed Clean 58

2,4-D Amine Salt 58% SL

It is recommended to control *Cyperus iria*, *Striga* spp, *Trianthema* spp., *Tridax procumbens*, *Digera arvensis* of sorghum, *Trianthema monogyna*, *Amaranthus* spp., etc of maize, *Chenopodium album*, *Asphodelus tenuifolius*, *Fumaria* spp, *Melilotus alba* of wheat. *Eichhornia crassipes* as aquatic weeds and other weeds of Potato, sugarcane and non crop area.



Crop Gold

Bispyribac Sodium 10% SC

Bispyribac sodium 10% sc is effective against grasses, sedges and broad leaved weeds in rice crop.

Oxy-Zen

Oxyflourfen 23.5% EC

oxyflourfen 23.5% ec w/w {22.8% ec w/v} is a selective herbicide for control major grasses, broadleaf and sedges in direct seeded rice, tea, potato, onion, groundnut and mentha crops.






Attraclear

Atrazine 50% WP

It is recommended to control Trianthema monogyna, Digitaria arvensis, Echinocloa, spp. Elusine spp., Xanthium strumarium, Brachiaria sp., Digitaria sp., Amaranthus viridies, Cleome viscosa, Polygonum sp. of maize. Partulaca oleracea, Digiteria sp., Boerhavia diffusa, Euphorbia sp., Tribulus terrestris of sugarcane crop.



Vadh

Pyrazosulfuron Ethyl 10% WP

It is recommended for pre emergence control of sedges and broad leaf weeds like cyperus iria, cyperus difformis, fimbristylis miliacea, alternanthera sessile, caesulia axillaris, cynotis culcullata, ludwigia parviflora, marsilea quadrifoliata, monochoria vaginalis, of transplanted rice.






Azocy

Azoxystrobin 23% SC

Azoxystrobin 23% SC is a broad spectrum systemic fungicide recommended for the control of downy and powdery mildew diseases infecting Grapes, fruit rot and powdery mildew of chilli, anthracnose and powdery mildew of mango, early and late blight of tomato and late blight of Potato.



Azocydifo

Azoxystrobin 18.2%+Difenoconazole 11.4% SC

This fungicide is recommended for the control of the following diseases: chilli (anthracnose and powdery mildew tomato (early blight and late blight, paddy (blast & sheath blight, maize (blight & downy mildew, wheat (rust & powdery mildew.

Azocyteb Plus

Azoxystrobin 11%+Tebuconazole 18.3% SC

It is a suspensible concentrate fungicide for control of fruit rot, Die back and powdery mildew in Chilli; Downy mildew, Powdery mildew in Grape; Scab (Venturia inaequalis), Powdery mildew (Podospha leucotncha), Premature leaf fall (Marssonina coronaria) in Apple; purple blotch (alternaria porri) on Onion; Seath blight on Rice; yellow rust (puccinia striformis) in Wheat; early blight (alternaria solani); early blight (alternaria solani), late blight (phytophthora infestans) in Potato crop.





Cropcure

Tebuconazole 25.9% EC

Tebuconazole 25.9% EC is a systemic fungicide containing 25.9%w/w Tebuconazole technical as active ingredient, balance auxiliaries and inert material. tebuconazole 25.9% EC is used as foliar spray for the control of powdery mildew and fruit rot of chili, tikka and rush of groundnut, blast and sheath blight of rice, Purple blotch of Onion, anthracnose (pod blight) of Soybean and leaf spot and anthracnose of Black gram..



Croptaf Plus

Hexaconazole 5% SC

Hexaconazole 5% SC is a systemic fungicide used for the control of powdery mildew of Mango & Grapes and sheath blight of Rice.

Peru

Tebuconazole 10%+Sulphur 65% WG

Tebuconazole 10% + Sulphur 65% WG (water dispersible granule) is a effective fungicide with protective, creative and eradivative action. It controls powdery mildew, fruit rot diseases of Chilli; leaf spot, pod blight disease of Soybean; powdery mildew of mango.





Propicone

Propiconazole 25% EC

Propiconazole 25 % EC is a systemic fungicide. It is recommended to control karnal bunt & rusts in Wheat, Sheath blight in rice & leaf spots, rust in groundnut, blister blight of tea, rust of soyabean, Leaf spot of Cotton.



Riico


Thiophanate Methyl 70% WP

It is recommended to control powdery mildew of papaya and Cucurbits, Fusarium wilt of pigeon pea, Brown rust and leaf blight of wheat, ring rot of tomato, anthracnose of bottle gourd and scab of Apple, powdery mildew, anthracnose rust of Grape.

Cropvalda

Validamycin 3% L

Validamycin 3% L is an antifungal preparation and antibiotic compound. It has low mammalian toxicity and hence a safe antibiotic. It is an effective antibiotic for the control of rice sheath blight only.





Crop M-45

Mancozeb 75% WP

It is used to control brown and black rust & blight of wheat, leaf blight & downy mildew of maize blast of paddy, leaf spot of sorghum. Tip rot, Sigatoka leaf spot and cigar end rot of banana and other fungal disease of guava potato, tomato, apple, grapes, chilli, cauliflowers, groundnut and cumin crops.



Cropsaff

Carbendazim 12%+Mancozeb 63% WP

it is recommended for the control of blast diseases of paddy and leaf spot and blast, Tikka leaf spot, Collar rot & Dry root rot of groundnut, early blight, late blight and black scurf of potato, blister blight, grey blight, red rust, die back, black rot of tea crop, Downy mildew, powdery mildew, anthracnose on Grape, powdery mildew, anthracnose on Mango and Leaf spot, fruit rot and powdery mildew on Chilli crop.

Cropstin

Carbendazim 50%WP

It is recommended to control blast & sheath blight of paddy, loose smut of wheat & barely, brown rot of maize, powdery mildew of sugar beet, peas, cluster bean, cucurbits, rose & ber, anthracnose of grapes and tobacco, seeding blight of Jute and downy leaf spot of Walnut, damping off of Chillies and scab of Apples etc.



C-Sulph 80 WDG

Sulphur 80% WDG

Sulphur 80% WDG is used for the control of powdery mildew on Grapes, Cowpea, Guar, Pea, Cumin, wheat, Mango and Scab disease of apple. It is dry flow able water dispersible granules containing Sulphur 80% w/w, balance ingredients, the particle size range from 2 to 6 microns, thus displaying a fine layer of active ingredient on sprayed crop resulting in enhanced-efficacy.



Cropgol

Propineb 70% WP

It is a contact fungicide based on propineb technical containing 70% w/w propineb as active ingredient. Propineb is used as a foliar spray for the control of fungal diseases in different crops.



FUNGICIDE



Crop Power

Triacantanol EC 0.05% Min

Triacantanol 0.05% EC, a Plant Growth Regulator is recommended to increase the yield of crops like Cotton, Chillies, Rice, Tomatoes Groundnuts and Potato.



Crop Dr.

Gibberellic Acid 0.001% L

It is recommended for use in paddy, Cotton, Sugarcane, Groundnut, Brinjal, Bhendi, Grapes etc. for better yields.



PGR

PESTICIDES	
1	2,4-D ETHYL ESTER 20% WP
2	ACEPHATE 95% SG
3	ALPHACYERMETHRIN 10% SC
4	ANILOFOS 30% EC
5	AZOXYSTROBIN 7.1% + PROPICONAZOLE 11.9 % SE
6	AZOXYSTROBIN 8.3% + MANCOZEB 66.7% WG
7	AZOXYSTROBIN 12.5% + TEBUCONAZOLE 12.5% SC
8	BIFENTHRIN 2.5% EC
9	BIFENTHRIN 8% SC
10	BUPROFENZIN 15% + ACEPHATE 35% WP
11	BUPROFEZIN 25% SC
12	CAPTAN 70% + HEXACONAZOLE 5% WP
13	CARBENDAZIM 46.27% SC
14	CARTAP HYDROCHLORIDE 75% SG
15	CHLORPYRIPHOS 2% RTU
16	CHLORPYRIPHOS 20% CS
17	CLODINOFOP-PROPARGYL 9% +METRIBUZIN 20% WP
18	CLODINAPOP PROPARGYL 15% DF
19	CLODINOFOP-PROPARGYL 15% WP
20	COPPER OXYCHLORIDE 50%WG
21	CYPERMETHRIN 3% SMOKE GENERATOR
22	DELTAMETHRIN 1.8% EC
23	DELTAMETHRIN 2.8% EC
24	DIFENOCONAZOLE 3% WS
25	DINOTEFURAN 15% + PYMETROZINE 45% WG
26	DINOTEFURAN 20% SG
27	FIPRONIL 2.92% EC
28	FLUBENDIAMIDE 4% + BUPROFENZIN 20% SC

29	FLUBENDIAMIDE 39.35 % SC
30	HEXACONAZOLE 4% + CARBENDAZIM 16% SC
31	HEXACONAZOLE 5% + VALIDAMYCIN 2.5% SC
32	HEXACONAZOLE 5% EC
33	INDOXACARB 14.5% SC
34	INDOXACARB 15.8% EC
35	ISOPROTHIOLANE 40 % EC
36	ISOPROTURON 75% WP
37	MALATHION 5% DP
38	MALATHION 25% WP
39	MALATHION 50% EC
40	MALATHION 96% ULV
41	METALAXYL-M 4% + MANCOZEB 64% WP
42	METSULFURON METHYL 20% WP
43	MONOCROTOPHOS 36% SL
44	NOVALURAN 5.25% + EMAMECTIN BENZOATE 0.9% SC
45	NOVALURON 5.25% + INDOXACARB 4.5% SC
46	NOVALURON 10% EC
47	PENDIMETHALIN 35% + METRIBUZIN 3.5% SE
48	PINOXADEN 5.1% EC
49	PRETILACHLOR 6.0%+PYRAZOSULFURON ETHYL 0.15% GR
50	PRETILACHLOR 30.0%+PYRAZOSULFURON ETHYL 0.75% WG
51	PRETILACHLOR-30.7% EC
52	PROPICONAZOLE 13.9% + DIFENOCONAZOLE 13.9% EC
53	PYRIPROXYFEN 0.5% GR
54	PYRIPROXYFEN 5% + DIAFENTHIURON 25% SE
55	PYRIPROXYFEN 10% EC
56	PYRIPROXYFEN 10% + BIFENTHRIN 10% EC
57	QUIZALOFOP ETHYL 4% + OXYFLUORFEN 6% EC

58	QUIZALOFOP ETHYL 5% W/W EC
59	QUIZALOFOP ETHYL 7.5% + IMAZETHAPYR 15 % EC
60	QUIZALOFOP ETHYL 10% EC
61	SULFOSULFURON 75% WG
62	SULFOSULFURON 75% + METSULFURON METHYL 5% WG
63	SULPHUR 40% SC
64	TEBUCONAZOLE 2% DS
65	TEBUCONAZOLE 6.7% + CAPTAN 26.9% SC
66	TEBUCONAZOLE 10% + SULPHUR 65% WG
67	TEBUCONAZOLE 25% WG
68	TEBUCONAZOLE 38.39% SC
69	TEMEPHOS 50% EC
70	THIAMETHOXAM 75% SG
71	TRIACONTANOL GR 0.05% MIN.
72	TRIFLUMEZOPYRIM 10% SC
73	ZIRAM 27% SC

BIO/FERTILIZERS

1	Acetobector
2	Ammonium Chloride
3	Ammonium Molybdate (NH ₄) ₆ Mo ₇ O ₂₄ .4H ₂ O 52%
4	Azospirillum
5	Azotobector
6	Bio Enriched Organic Manure,
7	Bone Meal Raw
8	Bone Meal Steamed
9	Borax (Sodium Tetraborate) (Na ₂ B ₄ O ₇ .10H ₂ O) For Soil Application (B-10.5%)
10	Boric Acid (H ₃ BO ₃) (B-17%)
11	Boronated Calcium Nitrate
12	Calcium Ammonium Nitrate (N 25%)

13	Calcium Nitrate (100% Water Soluble Complex)
14	Calcium Nitrate Fortified With Magnesium,
15	Carrier Based Consortia
16	Chelated Iron as Fe-EDTA 12%
17	Chelated Iron as Fe-HEDP 17%
18	Chelated Zinc as Zn-EDTA 12%
19	Chelated Zinc as Zn-HEDP 17%
20	City Compost
21	Copper Sulphate (CuSo ₄ .5H ₂ O) 24%,
22	Di-Sodium Octa Borate Tetra Hydrate (Na ₂ B ₈ O ₁₃ .4H ₂ O) (B-20%)
23	Di Sodium Tetra Borate Penta Hydrate (Granular) (B-14.5%)
24	Fermented Organic Manure
25	Fermented Organic Manure
26	Ferrous Sulphate (FeSo ₄ .7H ₂ O) 19%
27	Liquid Consortia, Bio
28	Fermented Organic Manure
29	Liquid Fermented Organic Manure
30	Magnesium Sulphate 9.5%
31	Manganese Sulphate 30.5%
32	Mycorrhizal Biofertilizer,
33	Mono Ammonium Phosphate (11-52-0),
34	Mono Potassium Phosphate (0-52-34) (100% water soluble complex)
35	NK 6:0:18 Fortified with Calcium, Magnesium & Boron
36	NPK 11:11:8 Fortified with Zinc & Boron
37	N.P.K. (19-19-19)
38	Organic Manure
39	Organic Manure,
40	Phosphate Rich Organic Manure (PROM)
41	Phosphate Solubilizing Bacteria
42	Phosphate Solubilizing Fungal Biofertilizer

43	Potash Derived from Molasses
44	Potash derived from Rhodophytes
45	Potassium Chloride (Muriate of Potash),
46	Potassium Chloride (Muriate of Potash) (Granular)
47	Potassium Magnesium Sulphate (100% water soluble complex)
48	Potassium Mobilizing Biofertilizer (KMB)
49	Potassium Nitrate (13-0-45) (100% water soluble complex)
50	Potassium Schoenite,
51	Potassium Sulphate
52	Rhizobium
53	Sulphur 90% (Granular)
54	Sulphur 90% (Powder)
55	Urea Ammonium Nitrate (32% N) Liquid
56	Vermi Compost
57	Zinc Oxide Suspension Concentrate (39.5% Zn)
58	Zinc Solubilizing Biofertilizer (ZSB)
59	Zinc Sulphate Heptahydrate (ZnSo ₄ .7H ₂ O) 21%
60	Zinc Sulphate Mono-Hydrate (ZnSo ₄ .H ₂ O) 33%
61	Zinc Sulphate Monohydrate (Granular) 33%
62	Zincated Bentonite Sulphur





MODREN AGRICULTURE TOOLS





लाल लेबल
अत्यंत ज़हरीला



पीला लेबल
अत्याधिक ज़हरीला



नीला लेबल
मध्यम ज़हरीला



हरा लेबल
थोड़ा ज़हरीला

संक्षारक	ज्वलनशील ठोस	ज्वलनशील (जल क्रियाशील)	प्रदाहजनक
विस्फोटक	ज्वलनशील द्रव्य	स्वतः ज्वलनशील	आक्सीकरण पदार्थ



कीटनाशक को उंची और सुरक्षित जगह में रखें



रबड़ के दस्ताने पहने



मुँह को ढक के रखे श्वास द्वारा अंदर जाने से बचें



सुरक्षात्मक जूते पहने



स्रै से छिड़काव करें



छिड़काव के बाद अच्छी तरह साबुन से हाथ धोए



तालाब और जानवर से दूर रखें



बच्चों की पहुँच से दूर रखें



सांस द्वारा अंदर जाने से रोके व त्वचा पे छिटे न पड़ने दे। छिड़काव के समय धूम्रपान खाना पीना कुछ चबाना नहीं चाहिए।



प्रयोगकर्ता को पूर्ण सुरक्षात्मक वस्त्र जैसे रबड़ के दस्ताने, जूते तथा मुँह को ढक कर रखें। मुँह, त्वचा और आंखों के सम्पर्क से बचाये।



घोल बनाने के लिए खाना पकाने के बर्तनों का इस्तेमाल मत कीजिए।



खुद को स्प्रे के सामने न लाये। नोजल्स के मुँह से फूंक न मारे।



घोल को हिलाने के लिए लकड़ी का प्रयोग करें। नंगे हाथ ना मिलाए।



कार्य समाप्त होने के बाद हाथों को काफी मात्रा में साबुन और पानी से धोएं।



CROPCREST
INDIA PRIVATE LIMITED

Thank you..

Cropcrest Ki Pehchan Khushal Kisan





Cropcrest India Private Limited

📍 Khasra No.16/7, Street No.8, Saroop Nagar,
Badli, Delhi-110042,

✉ info@cropcrest.in 🌐 www.cropcrest.in

☎ +91-8806669199